

NEOKLENE-SONIC 6

HEAVY DUTY UNIVERSAL ULTRASONIC CLEANING DETERGENT

Neoklene-sonic 6 is a water based universal ultrasonic cleaning detergent ideal for the cleaning of ferrous and non ferrous components. Based on a complex blend of user-friendly solvents, alkalis, surfactants and rust inhibitors this highly concentrate detergent will remove a wide range of surface contaminants including carbonised oils, greases and various road films encountered in the automotive manufacturing and remanufacturing industries. Neoklene-sonic 6 is especially popular in the fuel injection reman industry.

FEATURES

- *Water based product
- * Fully biodegradable
- * Low hazard product
- * Contains no TAP's or HAP's
(Toxic/Hazardous Air Pollutants
- * Easy clean up with water
- * Low make-up concentrations typically 2 - 5% w/w
- * Virtually odourless product
- * Brightens components
- * Leaves very little residue in single stage cleaning operations
- * Highly effective at low concentrations
- *Inhibits against flash rusting
- * Operates at 60 - 80C saving energy
- * Costs less for waste disposal compared to toxic solvents.
- * Lower insurance premiums for operative safety and storage hazards.

For further information on Neoklene-sonic 6 or ultrasonic cleaning equipment contact our sales office on: 00 44 (0)1902 632 617

TYPICAL USES

Neoklene-sonic 6 will remove a Wide range of contaminants from various automotive components.


Typical applications include:

- *Excellent for removal of carbonised oils and greases from fuel injection and auto electric components.
- various aluminium components.
- *Offers superb cleaning on plastic items.

Neoklene-sonic 6 is formulated for use in ultrasonic cleaning machines from single stage to multi-stage systems. Care should be taken on non ferrous components as excessive immersion times and high temperatures can cause dulling on certain items.

PROPERTIES

Appearance:	Green Liquid
Odour:	Mild Detergent
Specific Gravity:	1.05 @ 20C
Boiling Point:	100oC (212F)
pH:	8.0 - 8.5 @ 3%
Flash point:	N/A
Packaging:	25 Kilo U.N. Containers



BEFORE



AFTER CLEANING USING NEOKLENE-SONIC 6@ 5% W/W